



Quilter Basics .

Read instructions before beginning a project. All instructions include a ¼" seam allowance. 22" measurement is approximate. WOF–approximately 40".

## Quilt Construction

Main Block: (A) Layer 2-10"x10" squares, right sides together. Draw diagonal line on the back of the lighter square. (B) Sew <sup>1</sup>/<sub>4</sub>" on each side of the diagonal line. Cut on the line. (C) Press open towards the darker print. Makes 2 half square triangles. Repeat to make a total of 48 half square triangles.



2 Side Block: Combine 2 Main blocks. *See diagram for orientation*. Match or mix the prints. Make 8 Side Blocks.



**Pinwheel Block:** Combine 4 Main blocks. *See diagram for orientation.* Match or mix the prints. Make 8 Pinwheel Blocks.



## Quilt Assembly.

4 Sew the blocks into rows then sew the rows together. *See diagram.* Sew the 2½" Inner Border strips together. Add the 2½" Inner borders, sides first then top and bottom. *Measure across the center of the quilt top for the best length of the borders.* Repeat with the 5½" Final Borders. Sew 8–2½" xWOF Binding strips together. Layer, quilt and bind the quilt. ENJOY!







Size: 68"x 86"

## \*Fabric Requirements:

Main Blocks: 12 assorted prints 1/3 yard of each

Inner Border: 5/8 yard

Final Border: 11/2 yards

**Binding:** <sup>3</sup>/<sub>4</sub> yard **Backing:** 6 yards

## Cutting:

Main Blocks: from EACH of 12 prints cut 1–10"x WOF strip subcut 4–10"x 10" squares

**Inner Border:** 7–2<sup>1</sup>/<sub>2</sub>"x WOF strips

**Final Border:** 8–5<sup>1</sup>/<sub>2</sub>"x WOF strips

**Binding:** 9–2<sup>1</sup>/<sub>2</sub>"x WOF strips

\*fabrics used in this quilt are all in the Fandango half assortment

MODAFABRICS.COM

PS27040 — SUGGESTED RETAIL \$6.00